

medco



Medication Pocket Guide for Emory Members

Please bring this guide with you on your next doctor visit.

Medco manages your prescription drug benefit for your health plan.

UNDERSTANDING YOUR PLAN

The Emory Plan uses a drug formulary, which is a list of medications that are covered under this prescription drug plan. The drug formulary is reviewed by your plan to ensure it includes medications for most medical conditions. Tiers within the formulary have been set up by levels, with accompanying co-payments as determined by the plan. Emory's plan goal is to help keep the cost of prescription drugs affordable and to provide you with the medications you need to stay healthy.

TALKING TO YOUR DOCTOR

The amount you pay depends on which medication your doctor prescribes for you. In some circumstances, you may be able to receive a lower-cost medication. Here's what you need to do:

- Bring a complete list of your medications to your next doctor's appointment.
- Bring this member guide to your next doctor's appointment.
- Review this member guide with your doctor.
- Ask your doctor if there is a brand-name medication available at a lower tier, and thus at a lower cost for you.
- Ask your doctor whether any brand-name medications may be substituted by generics.

We encourage you to share this member guide with your doctor at your next visit or before you fill your next prescription. It's important that you discuss any substitution you are requesting with your doctor to ensure that the medication that is prescribed achieves the desired results and doesn't interact with your other medications, if any. Please discuss any questions or concerns about your drug therapy with your doctor or pharmacist.

UNDERSTANDING THIS GUIDE

- Section I of this guide displays the tier levels when you fill a prescription using a participating retail pharmacy (30-day supply) or Medco home delivery (90-day supply).
- Section II of this guide is an alphabetical listing of the medications.

REVIEWING THIS MEDICATION LIST

This member guide shows the most commonly prescribed medications by treatment categories and cost levels. This list is subject to change during the course of the year, as medications may move from brand-name to generic or generic to over-the-counter status. Drugs newly approved by the FDA may also be added to the listing during the year. Please always check with Medco Member Services at 1 800 939-3758 to determine which tier your medication is located in within the plan.

UNDERSTANDING YOUR COST BY LEVELS

All covered medications are categorized into five tiers, and each tier has a different co-payment. Your cost depends on which tier your medication is in. You pay the lowest amount for medications in Tier 0, and the highest amount for medications in Tier 4. Your prescription drug plan may include other limits or exclusions for certain medications before your coverage will apply. Please contact Member Services at 1 800 939-3758 for additional information about your prescription drug benefit.

Highest Cost

| |
|--|
| Tier 4 Co-payment \$85 Retail Co-payment \$212.50 Mail Order For personal choice brand-name medications. |
| Tier 3 Co-payment \$55 Retail Co-payment \$137.50 Mail Order Select generics and other brand-name medications. |
| Tier 2 Co-payment \$30 Retail Co-payment \$75 Mail Order Select brand names used to treat diabetes, CHF, high blood pressure, and high cholesterol AND brand-name medications used to treat other health conditions. |
| Tier 1 Co-payment \$15 Retail Co-payment \$37.50 Mail Order Select generics and select brand-name medications used to treat diabetes, CHF, high blood pressure, and high cholesterol. |
| Tier 0 Co-payment \$0 Retail Co-payment \$0 Mail Order Select generics used to treat diabetes, CHF, high blood pressure, high cholesterol, and brand-name and generic smoking deterrents. |

Lowest Cost

DISPENSE AS WRITTEN (DAW)

If your physician requires that you take a brand-name medication, although there may be a generic equivalent available, your physician must either write on the prescription the letters “DAW” or check the box on the written prescription indicating “DAW.” This will instruct the pharmacist to fill your prescription as the physician prescribed instead of as the plan requires, which is, that brand-name medications that have a generic equivalent will be filled with the generic. It is important to note that at retail, if you receive a brand-name drug that has a generic equivalent, you will be responsible for paying the higher brand-name drug co-payment as well as the difference in cost between the generic and the brand-name drug if the prescription is filled “DAW.”

PURCHASING YOUR MEDICATION - RETAIL (30-DAY SUPPLY)

To ensure that your prescription medications are covered by the plan at the highest level, be sure to fill your retail prescriptions at a participating pharmacy. To locate a participating pharmacy, go online to Medco’s website at www.medco.com. “DAW” does apply. (See Dispense as Written section above)

PURCHASING YOUR MEDICATION - MEDCO HOME DELIVERY (MAIL ORDER - 90-DAY SUPPLY)



If you take prescription medication on an ongoing basis (maintenance medication), you may want to consider filling your prescription using the Medco home delivery (mail order) program. You can get a 90-day supply of medication for 2.5 times the monthly co-payment, thus providing you with a savings every 3 months. For example: Tier 1 medication at retail would be 3 months x \$15 or \$45; at mail order, the cost would be only \$37.50. In addition, there is added convenience to mail order because your prescriptions are mailed directly to your home. There is no waiting in line at the retail pharmacy or return trips to pick up your order, as shipping is FREE. “DAW” does not apply.

MANDATORY GENERICS

Using generic drugs is a great way to lower your prescription drug costs. If your physician prescribes a brand-name drug and does not specify Dispense as Written (“DAW”), most likely, the pharmacist will fill the prescription with a generic equivalent.

EXPLAINING THE SYMBOLS

Here is a quick explanation of our safety symbols for you and your doctor. These symbols appear next to certain medications in this member guide:

-  Means to weigh risk of birth defects or other adverse outcomes.
-  Means do not use in pregnancy.
- * Means plan allows coverage of diabetic supplies at no charge.
- † Multiply co-payment times supply.

Note: This information is in effect at the time of printing and is subject to change.




SECTION I: THERAPEUTIC DRUG CATEGORIES












ANTI-INFECTIVES (Antibiotics/Antifungals)

Oral Penicillins

- 1 amoxicillin trihydrate
- 1 amoxicillin trihydrate/
potassium clavulanate
- 1 ampicillin trihydrate
- 1 dicloxacillin sodium
- 1 penicillin v
potassium
- 2 Augmentin Chewable
Tablet 250 - 62.5mg
- 2 Augmentin
Suspension
125 - 31.25mg/5
- 3 Amoxil
- 3 Augmentin ES
- 3 Augmentin
Suspension
200 -28.5mg/5,
250 -62.5mg/5,
400 - 57mg/5
- 3 Augmentin Tablet
- 3 Augmentin XR
- 3 Moxatag

Oral Tetracyclines



- 1  doxycycline hyclate
tablet
- 1  doxycycline
monohydrate
- 1  minocycline HCl

- 1  tetracycline HCl
- 2  Adoxa Pak
- 2  Oracea
- 3  Adoxa
- 3  Doryx
- 3  Dynacin
- 3  Minocin
- 3  Monodox
- 3  Periostat
- 3  Solodyn
- 3  Vibramycin

Oral Cephalosporins

- 1 cefaclor
- 1 cefadroxil hydrate
- 1 cefdinir
- 1 cefpodoxime proxetil
- 1 cefprozil
- 1 cefuroxime axetil
- 1 cephalixin
monohydrate
- 3 Ceclor CD
- 3 Cedax
- 3 Ceftin
- 3 Cefzil
- 3 Duricef
- 3 Keflex
- 3 Omnicef
- 3 Raniclor
- 3 Spectracef

Key:

- 0 Select generics used to treat diabetes, CHF, high blood pressure, high cholesterol, and brand-name and generic smoking deterrents.
- 1 Select generics and select brand-name medications used to treat diabetes, CHF, high blood pressure, and high cholesterol.
- 2 Select brand names used to treat diabetes, CHF, high blood pressure, and high cholesterol AND brand-name medications used to treat other health conditions.
- 3 Select generics and other brand-name medications.
- 4 For personal choice brand-name medications
-  Means weigh risk of birth defects or other adverse outcomes.
-  Means do not use in pregnancy.

3 Suprax

3 Vantin

Oral Erythromycins

- 1 azithromycin
- 1 clarithromycin
- 1 clarithromycin ER
- 1 erythromycin base
- 1 erythromycin ethylsuccinate
- 1 erythromycin ethylsuccinate/sulfisoxazole acetyl
- 1 erythromycin stearate
- 3 Biaxin
- 3 Biaxin XL
- 3 EryPed
- 3 PCE
- 3 Zithromax
- 3 Zmax

Oral Quinolones

- 1 ciprofloxacin HCl
- 1 levofloxacin
- 1 ofloxacin
- 2 Avelox
- 2 Cipro Suspension
- 2 Noroxin
- 3 Cipro Tablet
- 3 Cipro XR
- 3 Factive
- 3 Floxin
- 3 Levaquin
- 3 Proquin XR

Oral Sulfas

- 1 erythromycin

- ethylsuccinate/sulfisoxazole acetyl
- 1 sulfadiazine
- 1 sulfamethoxazole/trimethoprim
- 2 Sulfisoxazole
- 3 Bactrim DS
- 3 Gantrisin
- 3 Septra DS



Oral Urinary Tract Agents

- 1 methenamine hippurate
- 1 methenamine mandelate
- 1 nitrofurantoin
- 1 nitrofurantoin macrocrystal
- 1 phenazopyridine HCl
- 1 trimethoprim
- 3 Furadantin
- 3 Hiprex
- 3 Macrobid
- 3 Macrochantin
- 3 Monurol
- 3 Primsol

Oral Antifungal Agents

- 1 clotrimazole
- 1 fluconazole
- 1 griseofulvin

Key:

- 0 Select generics used to treat diabetes, CHF, high blood pressure, high cholesterol, and brand-name and generic smoking deterrents.
- 1 Select generics and select brand-name medications used to treat diabetes, CHF, high blood pressure, and high cholesterol.
- 2 Select brand names used to treat diabetes, CHF, high blood pressure, and high cholesterol AND brand-name medications used to treat other health conditions.
- 3 Select generics and other brand-name medications.
- 4 For personal choice brand-name medications
-  Means weigh risk of birth defects or other adverse outcomes.
-  Means do not use in pregnancy.

| | | | |
|---|--------------------------------|---|---------------------------|
| 1 | griseofulvin ultramicrosize | 3 | Mycelex Troche |
| 1 | itraconazole | 3 | Oravig |
| 1 | ketoconazole | 3 | ☒ Vfend |
| 1 | nystatin | 4 | Lamisil Oral Granules |
| 1 | terbinafine HCl | 4 | Sporanox Oral Solution |
| 1 | ☒ voriconazole | 4 | Grifulvin V |
| 2 | Ancobon | 4 | Gris-Peg |
| 2 | Noxafil | 4 | Lamisil Tablet |
| 3 | Diflucan | 4 | Nizoral |
| 3 | Mycostatin | 4 | Sporanox Capsule |

PSYCHOTHERAPEUTICS (Anxiety/Depression)

Hypnotic Agents

- 1 chloral hydrate
- 1 ☒ estazolam
- 1 ☒ flurazepam HCl
- 1 ☒ temazepam
- 1 ☒ triazolam
- 1 zaleplon
- 1 zolpidem tartrate
- 4 Ambien
- 4 Ambien CR
- 4 ☒ Dalmane
- 4 ☒ Doral
- 4 Edluar
- 4 ☒ Halcion
- 4 Lunesta
- 4 ☒ ProSom
- 4 ☒ Restoril
- 4 Rozerem
- 4 Silenor

- 4 Sonata
- 4 Zolpimist

Tricyclic Antidepressants

- 1 amitriptyline HCl
- 1 amoxapine
- 1 clomipramine HCl
- 1 desipramine HCl
- 1 doxepin HCl
- 1 ☒ imipramine HCl
- 1 ☒ imipramine
pamoate
- 1 nortriptyline HCl
- 1 protriptyline HCl
- 1 trimipramine maleate
- 2 Surmontil
- 3 Anafranil
- 3 Norpramin
- 3 Pamelor

Key:

- 0 Select generics used to treat diabetes, CHF, high blood pressure, high cholesterol, and brand-name and generic smoking deterrents.
- 1 Select generics and select brand-name medications used to treat diabetes, CHF, high blood pressure, and high cholesterol.
- 2 Select brand names used to treat diabetes, CHF, high blood pressure, and high cholesterol AND brand-name medications used to treat other health conditions.
- 3 Select generics and other brand-name medications.
- 4 For personal choice brand-name medications
- ☒ Means weigh risk of birth defects or other adverse outcomes.
- ☒ Means do not use in pregnancy.

- 3  Tofranil
- 3  Tofranil-PM
- 3 Vivactil

Miscellaneous Antidepressants
















- 1 bupropion HCl
- 1 maprotiline HCl
- 1 mirtazapine
- 1 trazodone HCl
- 1 venlafaxine HCl
- 2 Cymbalta
- 2 Pristiq
- 3 Desyrel
- 3 Effexor
- 3 Effexor XR
- 3 Oleptro ER
- 3 Remeron
- 3 Wellbutrin
- 3 Wellbutrin SR
- 3 Wellbutrin XL

Antipsychotics



- 1 chlorpromazine HCl
- 1 clozapine
- 1 fluphenazine HCl
- 1 haloperidol
- 1 haloperidol lactate concentrate, oral
- 1 loxapine succinate
- 1 olanzapine
- 1 perphenazine
- 1 risperidone
- 1 thiothixene
- 1 trifluoperazine HCl
- 2 Clozaril

- 2 Geodon
- 2 Moban
- 2 Orap
- 2 Seroquel
- 2 Seroquel XR
- 3 Abilify
- 3 Fanapt
- 3 Latuda
- 3 Invega
- 3 Risperdal
- 3 Saphris
- 3 Symbyax
- 3 Zyprexa
- 3 Zyprexa Zydis

Anxiolytics

- 1  alprazolam
- 1  alprazolam XR
- 1 buspirone HCl
- 1  hlordiazepoxide HCl
- 1  clorazepate dipotassium
- 1  diazepam
- 1  lorazepam
- 1  oxazepam
- 3  Ativan
- 3 Buspar
- 3  Librium
- 3  Niravam
- 3  Tranxene SD
- 3  Tranxene T-Tab
- 3  Valium
- 3  Xanax
- 3  Xanax XR

Key:

- 0 Select generics used to treat diabetes, CHF, high blood pressure, high cholesterol, and brand-name and generic smoking deterrents.
- 1 Select generics and select brand-name medications used to treat diabetes, CHF, high blood pressure, and high cholesterol.
- 2 Select brand names used to treat diabetes, CHF, high blood pressure, and high cholesterol AND brand-name medications used to treat other health conditions.
- 3 Select generics and other brand-name medications.
- 4 For personal choice brand-name medications
-  Means weigh risk of birth defects or other adverse outcomes.
-  Means do not use in pregnancy.

MAOI

Antidepressants

- 1 phenelzine sulfate
- 1 tranylcypromine sulfate
- 3 Emsam
- 3 Nardil
- 3 Parnate

SSRI Antidepressants

- 1 citalopram HBr
- 1 fluoxetine HCl
- 1 fluvoxamine maleate
- 1 ☒ paroxetine HCl
- 1 sertraline HCl
- 3 Celexa
- 3 Lexapro
- 3 Luvox CR
- 3 ☒ Paxil
- 3 ☒ Paxil CR
- 3 ☒ Pexeva
- 3 Prozac
- 3 Prozac Weekly
- 3 Sarafem
- 3 Viibryd
- 3 Zoloft

Miscellaneous Psychotherapeutic Agents

- 1 amphetamine aspartate/ amphetamine sulfate/ dextroamphetamine

- 1 dextroamphetamine sulfate
- 1 ☒ lithium carbonate
- 1 ☒ lithium citrate
- 1 Metadate ER 20mg
- 1 methamphetamine HCl
- 1 methylphenidate HCl
- 2 Daytrana
- 2 Intuniv
- 2 Metadate CD
- 2 Provigil
- 2 Strattera
- 2 Vyvanse
- 2 Xyrem
- 3 Adderall
- 3 Adderall XR
- 3 Concerta
- 3 Desoxyn
- 3 Dexedrine
- 3 Focalin
- 3 Focalin XR
- 3 Kapvay
- 3 Liquadd
- 3 ☒ Lithobid
- 3 Metadate ER 10mg
- 3 Methylin Oral Solution
- 3 Methylin Chewable Tablet
- 3 Nuvigil
- 3 Ritalin
- 3 Ritalin LA
- 3 Ritalin SR

Key:

- 0 Select generics used to treat diabetes, CHF, high blood pressure, high cholesterol, and brand-name and generic smoking deterrents.
- 1 Select generics and select brand-name medications used to treat diabetes, CHF, high blood pressure, and high cholesterol.
- 2 Select brand names used to treat diabetes, CHF, high blood pressure, and high cholesterol AND brand-name medications used to treat other health conditions.
- 3 Select generics and other brand-name medications.
- 4 For personal choice brand-name medications
- ☒ Means weigh risk of birth defects or other adverse outcomes.
- ☒ Means do not use in pregnancy.

CARDIOVASCULAR

(Blood Pressure/Heart/Cholesterol)

Beta Blockers

| | |
|---|----------------------|
| 0 | acebutolol HCl |
| 0 | ☒ atenolol |
| 0 | betaxolol HCl |
| 0 | bisoprolol fumarate |
| 0 | carvedilol |
| 0 | labetalol HCl |
| 0 | metoprolol succinate |
| 0 | metoprolol tartrate |
| 0 | nadolol |
| 0 | pindolol |
| 0 | propranolol HCl |
| 0 | timolol maleate |
| 1 | Bystolic |
| 1 | Coreg CR |
| 2 | Coreg |
| 2 | Corgard |
| 2 | Inderal |
| 2 | Inderal LA |
| 2 | Innopran XL |
| 2 | Kerlone |
| 2 | Levatol |
| 2 | Lopressor |
| 2 | Normodyne |
| 2 | Sectral |
| 2 | ☒ Tenormin |
| 2 | Toprol XL |
| 2 | Trandate |
| 2 | Zebeta |

Calcium Blockers

| | |
|---|---------------|
| 0 | diltiazem HCl |
| 0 | nimodipine |

| | |
|---|---|
| 0 | verapamil HCl |
| 1 | Cardizem LA 120mg |
| 2 | Calan SR |
| 2 | Cardizem |
| 2 | Cardizem CD |
| 2 | Cardizem LA 180mg, 240mg, 300mg, 360mg, 420mg |
| 2 | Cardizem SR |
| 2 | Covera-HS |
| 2 | Dilacor XR |
| 2 | Isoptin S.R. |
| 2 | Nimotop |
| 2 | Tiazac |
| 2 | Verelan |
| 2 | Verelan PM |

Dihydropyridines

| | |
|---|---------------------|
| 0 | amlodipine besylate |
| 0 | felodipine |
| 0 | isradipine |
| 0 | nifedipine |
| 0 | nisoldipine |
| 2 | Adalat CC |
| 2 | Cardene SR |
| 2 | DynaCirc |
| 2 | DynaCirc CR |
| 2 | Norvasc |
| 2 | Plendil |
| 2 | Procardia XL |
| 2 | Sular |

Key:

- 0 Select generics used to treat diabetes, CHF, high blood pressure, high cholesterol, and brand-name and generic smoking deterrents.
 - 1 Select generics and select brand-name medications used to treat diabetes, CHF, high blood pressure, and high cholesterol.
 - 2 Select brand names used to treat diabetes, CHF, high blood pressure, and high cholesterol AND brand-name medications used to treat other health conditions.
 - 3 Select generics and other brand-name medications.
 - 4 For personal choice brand-name medications
- ☒ Means weigh risk of birth defects or other adverse outcomes.
☒ Means do not use in pregnancy.

Nitroglycerin Patches

- 0 nitroglycerin patch
- 1 Minitran Patch
- 2 Nitro-Dur Patch

Adrenergic Antagonists & Related Drugs

- 0 clonidine HCl
- 0 doxazosin mesylate
- 0 guanfacine HCl
- 0 methyldopa
- 0 prazosin HCl
- 0 reserpine
- 0 terazosin HCl
- 2 Cardura
- 2 Cardura XL
- 2 Catapres
- 2 Catapres-TTS
- 2 Hytrin
- 2 Minipress
- 2 Nexiclon XR
- 2 Tenex

Angiotensin II Blockers & Renin Inhibitors

- 0 losartan potassium
- 0 losartan/
hydrochlorothiazide
- 1 Amturnide
- 1 Atacand
- 1 Atacand HCT
- 1 Benicar
- 1 Benicar HCT
- 1 Diovan

- 1 Diovan HCT
- 1 Micardis
- 1 Micardis HCT
- 1 Tekamlo
- 1 Tekturna
- 1 Tekturna HCT
- 1 Valturna
- 2 Avalide
- 2 Avapro
- 2 Cozaar
- 2 Edarbi
- 2 Hyzaar
- 2 Teveten
- 2 Teveten HCT

Antilipidemics













- 0 atorvastatin calcium
- 0 cholestyramine/
aspartame
- 0 cholestyramine/
sucrose
- 0 colestipol HCl
- 0 fenofibrate,
micronized
- 0 gemfibrozil
- 0 lovastatin
- 0 pravastatin
- 0 simvastatin
- 1 amlodipine/
atorvastatin
- 2 Altoprev
- 2 Antara
- 2 Crestor
- 2 Fenoglide
- 2 Lipitor
- 2 Lipofen
- 2 Lovaza

Key:

- 0 Select generics used to treat diabetes, CHF, high blood pressure, high cholesterol, and brand-name and generic smoking deterrents.
- 1 Select generics and select brand-name medications used to treat diabetes, CHF, high blood pressure, and high cholesterol.
- 2 Select brand names used to treat diabetes, CHF, high blood pressure, and high cholesterol AND brand-name medications used to treat other health conditions.
- 3 Select generics and other brand-name medications.
- 4 For personal choice brand-name medications
- Means weigh risk of birth defects or other adverse outcomes.
- Means do not use in pregnancy.










- 2 Niaspan
- 2  Simcor
- 2 Tricor
- 2 Triglide
- 2 Trilipix
- 2  Vytorin
- 2 Welchol
- 2 Zetia
- 3  Advicor
- 3  Caduet
- 3 Colestid
- 3 Fibracor
- 3  Lescol
- 3  Lescol XL
- 3  Livalo
- 3 Lofibra
- 3 Lopid
- 3  Mevacor
- 3  Pravachol
- 3 Questran
- 3 Questran Light
- 3  Zocor

ACE Inhibitors



- 0  benazepril HCl
- 0  captopril
- 0  enalapril maleate
- 0  fosinopril sodium
- 0  lisinopril
- 0  moexipril
- 0  perindopril erbumine
- 0  quinapril
- 0  ramipril
- 0 trandolapril
- 2  Accupril
- 2  Aceon
- 2  Altace

- 2  Capoten
- 2  Lotensin
- 2  Mavik
- 2  Monopril
- 2  Prinivil
- 2  Univasc
- 2  Vasotec
- 2  Zestril

Combination Antihypertensives

- 0  amlodipine
besylate/benazepril
- 0  atenolol/
chlorthalidone
- 0  benazepril HCl/
hydrochlorothiazide
- 0  bisoprolol fumarate/
hydrochlorothiazide
- 0  captopril/
hydrochlorothiazide
- 0  enalapril maleate/
hydrochlorothiazide
- 0  fosinopril/
hydrochlorothiazide
- 0 hydralazine HCl/
hydrochlorothiazide
- 0  lisinopril/
hydrochlorothiazide
- 0 methyl dopa/
hydrochlorothiazide
- 0 metoprolol/
hydrochlorothiazide
- 0  moexipril/
hydrochlorothiazide
- 0 propranolol HCl/
hydrochlorothiazide

Key:

- 0 Select generics used to treat diabetes, CHF, high blood pressure, high cholesterol, and brand-name and generic smoking deterrents.
- 1 Select generics and select brand-name medications used to treat diabetes, CHF, high blood pressure, and high cholesterol.
- 2 Select brand names used to treat diabetes, CHF, high blood pressure, and high cholesterol AND brand-name medications used to treat other health conditions.
- 3 Select generics and other brand-name medications.
- 4 For personal choice brand-name medications
-  Means weigh risk of birth defects or other adverse outcomes.
-  Means do not use in pregnancy.

| | | | |
|---|-------------------------------------|---|----------------|
| 0 | ☒ quinapril/ hydrochlorothiazide | 2 | ☒ Lotrel |
| 0 | ☒ trandolapril/ verapamil | 2 | ☒ Monopril HCT |
| 1 | ☒ Azor | 2 | ☒ Prinzide |
| 1 | ☒ Exforge | 2 | ☒ Tarka |
| 1 | ☒ Exforge HCT | 2 | ☒ Tenoretic |
| 1 | ☒ Tribenzor | 2 | ☒ Uniretic |
| 1 | ☒ Twynsta | 2 | ☒ Vaseretic |
| 2 | ☒ Accuretic | 2 | ☒ Zestoretic |
| 2 | ☒ Capozide | 2 | Ziac |
| 2 | Clorpres | | |
| 2 | Corzide | | |
| 2 | ☒ Lexxel | | |
| 2 | Lopressor HCT | | |
| 2 | ☒ Lotensin HCT | | |

ENDOCRINE (Diabetes/Hormones)

Insulin Therapy

- 1 Apidra
- 1 Apidra Solostar
- 1 Humalog
- 1 Humalog Mix 50/50
- 1 Humalog Mix 75/25
- 1 Humulin
- 1 Lantus
- 1 Lantus SoloStar
- 1 Levemir
- 1 Novolin
- 1 NovoLog
- 1 NovoLog Mix 70/30

Non-Insulin Hypoglycemic Agents

- 0 acarbose
- 0 chlorpropamide
- 0 glimepiride
- 0 glipizide
- 0 glipizide/
metformin HCl
- 0 glyburide
- 0 glyburide/
metformin HCl
- 0 glyburide, micronized
- 0 metformin HCl

Key:

- 0 Select generics used to treat diabetes, CHF, high blood pressure, high cholesterol, and brand-name and generic smoking deterrents.
- 1 Select generics and select brand-name medications used to treat diabetes, CHF, high blood pressure, and high cholesterol.
- 2 Select brand names used to treat diabetes, CHF, high blood pressure, and high cholesterol AND brand-name medications used to treat other health conditions.
- 3 Select generics and other brand-name medications.
- 4 For personal choice brand-name medications
- ☒ Means weigh risk of birth defects or other adverse outcomes.
- ☒ Means do not use in pregnancy.

| | |
|---|-----------------|
| 0 | nateglinide |
| 0 | tolazamide |
| 0 | tolbutamide |
| 1 | Actoplus Met |
| 1 | Actos |
| 1 | Avandamet |
| 1 | Avandaryl |
| 1 | Avandia |
| 1 | Byetta |
| 1 | Duetact |
| 1 | Janumet |
| 1 | Januvia |
| 1 | Kombiglyze XR |
| 1 | Onglyza |
| 1 | Prandin |
| 1 | Riomet |
| 1 | Symlin |
| 2 | Actoplus Met XR |
| 2 | Amaryl |
| 2 | Cycloset |
| 2 | DiaBeta |
| 2 | Fortamet |
| 2 | Glucophage |
| 2 | Glucophage XR |
| 2 | Glucotrol |
| 2 | Glucotrol XL |
| 2 | Glucovance |
| 2 | Glumetza |
| 2 | Glynase |
| 2 | Glyset |
| 2 | Metaglip |
| 2 | Micronase |
| 2 | Orinase |
| 2 | Prandimet |
| 2 | Precose |
| 2 | Starlix |
| 2 | Victoza |

Blood Glucose Test Strips

- * alcohol antiseptic pads
- * Accu-Chek Active Test Strips
- * Accu-Chek Aviva Test Strips
- * Accu-Chek Comfort Curve Test Strips
- * Accu-Chek Compact Test Strips
- * Fast Take Test Strips
- * One Touch Test Strips
- * One Touch Ultra Test Strips
- * Surestep Pro Test Strips
- * Surestep Test Strips

Estrogens/Estrogen Combinations

- 1 estradiol
- 1 estradiol/norethindrone acetate
- 1 estropipate
- 1 methyl-testosterone/estrogens, esterified
- 1 norethindrone/ethinyl estradiol
- 2 Cenestin
- 2 Climara
- 2 Combipatch
- 2 Divigel

* Means plan allows coverage of diabetic supplies at no charge

Key:

- 0 Select generics used to treat diabetes, CHF, high blood pressure, high cholesterol, and brand-name and generic smoking deterrents.
- 1 Select generics and select brand-name medications used to treat diabetes, CHF, high blood pressure, and high cholesterol.
- 2 Select brand names used to treat diabetes, CHF, high blood pressure, and high cholesterol AND brand-name medications used to treat other health conditions.
- 3 Select generics and other brand-name medications.
- 4 For personal choice brand-name medications
- Means weigh risk of birth defects or other adverse outcomes.
- Means do not use in pregnancy.

| | | | |
|---|--|---|--|
| 2 | <input checked="" type="checkbox"/> Enjuvia | 3 | <input checked="" type="checkbox"/> Climara Pro |
| 2 | <input checked="" type="checkbox"/> Estrace Vaginal Cream | 3 | <input checked="" type="checkbox"/> Elestrin |
| 2 | <input checked="" type="checkbox"/> Estraderm | 3 | <input checked="" type="checkbox"/> Estrace Tablet |
| 2 | <input checked="" type="checkbox"/> Estring | 3 | <input checked="" type="checkbox"/> Estrasorb |
| 2 | <input checked="" type="checkbox"/> Evamist | 3 | <input checked="" type="checkbox"/> Estratest |
| 2 | <input checked="" type="checkbox"/> Premarin Tablet | 3 | <input checked="" type="checkbox"/> Estratest H.S. |
| 2 | <input checked="" type="checkbox"/> Premarin Vaginal Cream | 3 | <input checked="" type="checkbox"/> Estrogel† |
| 2 | <input checked="" type="checkbox"/> Premphase | 3 | <input checked="" type="checkbox"/> Femhrt |
| 2 | <input checked="" type="checkbox"/> Prempro | 3 | <input checked="" type="checkbox"/> Femring |
| 2 | <input checked="" type="checkbox"/> Vagifem | 3 | <input checked="" type="checkbox"/> Femtrace |
| 2 | <input checked="" type="checkbox"/> Vivelle | 3 | <input checked="" type="checkbox"/> Menest |
| 2 | <input checked="" type="checkbox"/> Vivelle-Dot | 3 | <input checked="" type="checkbox"/> Menostar |
| 3 | <input checked="" type="checkbox"/> Activella | 3 | <input checked="" type="checkbox"/> Ogen |
| 3 | <input checked="" type="checkbox"/> Alora | 3 | <input checked="" type="checkbox"/> Ortho-Prefest |
| 3 | <input checked="" type="checkbox"/> Angeliq | | |

GI (Ulcer)

Ulcer Drugs

| | | | |
|---|---|---|---|
| 1 | cimetidine HCl liquid | 3 | Axid Capsule |
| 1 | cimetidine tablet | 3 | Axid Oral Solution |
| 1 | famotidine | 3 | <input checked="" type="checkbox"/> Cytotec |
| 1 | lansoprazole | 3 | Nexium |
| 1 | <input checked="" type="checkbox"/> misoprostol | 3 | Pepcid |
| 1 | nizatidine | 3 | Prevacid Rx |
| 1 | omeprazole | 3 | Tagamet |
| 1 | omeprazole/sodium bicarbonate | 3 | Zantac Rx |
| 1 | pantoprazole sodium | 4 | Aciphex |
| 1 | ranitidine HCl | 4 | Dexilant |
| | | 4 | Prilosec Rx |
| | | 4 | Protonix |
| | | 4 | Zegerid Rx |

Key:

- 0 Select generics used to treat diabetes, CHF, high blood pressure, high cholesterol, and brand-name and generic smoking deterrents.
 - 1 Select generics and select brand-name medications used to treat diabetes, CHF, high blood pressure, and high cholesterol.
 - 2 Select brand names used to treat diabetes, CHF, high blood pressure, and high cholesterol AND brand-name medications used to treat other health conditions.
 - 3 Select generics and other brand-name medications.
 - 4 For personal choice brand-name medications
- Means weigh risk of birth defects or other adverse outcomes.
 Means do not use in pregnancy.

NSAIDs (Pain Relievers)

NSAIDs

| | |
|---|------------------------|
| 1 | ☒ diclofenac potassium |
| 1 | ☒ diclofenac sodium |
| 1 | ☒ etodolac |
| 1 | ☒ flurbiprofen |
| 1 | ☒ ibuprofen |
| 1 | ☒ indomethacin |
| 1 | ☒ ketoprofen |
| 1 | ☒ meclofenamate sodium |
| 1 | ☒ meloxicam |
| 1 | ☒ nabumetone |
| 1 | ☒ naproxen |
| 1 | ☒ naproxen sodium |
| 1 | ☒ oxaprozin |
| 1 | ☒ piroxicam |
| 1 | ☒ sulindac |
| 1 | ☒ tolmetin sodium |
| 4 | ☒ Anaprox DS |
| 4 | ☒ Ansaid |
| 4 | ☒ Arthrotec |
| 4 | ☒ Cambia |

| | |
|---|---------------|
| 4 | ☒ Clinoril |
| 4 | ☒ Daypro |
| 4 | ☒ Duexis |
| 4 | ☒ EC-Naprosyn |
| 4 | ☒ Feldene |
| 4 | ☒ Flector |
| 4 | ☒ Indocin |
| 4 | ☒ Lodine |
| 4 | ☒ Lodine XL |
| 4 | ☒ Mobic |
| 4 | ☒ Motrin |
| 4 | ☒ Naprelan |
| 4 | ☒ Naprosyn |
| 4 | ☒ Pennsaid |
| 4 | ☒ Relafen |
| 4 | ☒ Toradol |
| 4 | ☒ Vimovo |
| 4 | ☒ Voltaren |
| 4 | ☒ Voltaren-XR |

NSAID COX-2 Inhibitors

| | |
|---|----------|
| 3 | Celebrex |
|---|----------|

DRUGS TO TREAT OVERACTIVE BLADDER

| | |
|---|---------------------|
| 1 | flavoxate |
| 1 | oxybutynin chloride |
| 1 | tropium chloride |
| 2 | Detrol |
| 2 | Detrol LA |
| 2 | Enablex |
| 2 | Gelnique |

| | |
|---|-------------|
| 2 | Oxytrol |
| 2 | Sanctura XR |
| 2 | Vesicare |
| 3 | Ditropan |
| 3 | Ditropan XL |
| 3 | Sanctura |
| 3 | Toviaz |

Key:

- 0 Select generics used to treat diabetes, CHF, high blood pressure, high cholesterol, and brand-name and generic smoking deterrents.
- 1 Select generics and select brand-name medications used to treat diabetes, CHF, high blood pressure, and high cholesterol.
- 2 Select brand names used to treat diabetes, CHF, high blood pressure, and high cholesterol AND brand-name medications used to treat other health conditions.
- 3 Select generics and other brand-name medications.
- 4 For personal choice brand-name medications
- ☒ Means weigh risk of birth defects or other adverse outcomes.
- ☒ Means do not use in pregnancy.

RESPIRATORY (Allergy/Asthma)

Beta Agonists Oral

- 1 albuterol sulfate
- 1 metaproterenol sulfate
- 1 terbutaline sulfate
- 3 Alupent
- 3 Brethine
- 3 Proventil

Beta Agonist Inhalers

- 1 albuterol
- 1 albuterol sulfate
- 1 levalbuterol HCl
- 1 metaproterenol sulfate
- 2 Foradil
- 2 Maxair Autohaler
- 2 Perforomist
- 2 Proair HFA
- 2 Serevent Diskus
- 2 Xopenex 0.31mg/3mL, 0.63mg/3mL, 1.25mg/3mL
- 2 Xopenex HFA
- 3 Accuneb
- 3 Alupent
- 3 Brovana
- 3 Proventil
- 3 Proventil HFA
- 3 Ventolin
- 3 Ventolin HFA
- 3 Xopenex 1.25mg/0.5



Inhaled Steroids

- 1 budesonide
- 2 Asmanex
- 2 Flovent Diskus
- 2 Flovent HFA
- 2 Pulmicort Flexhaler
- 2 Pulmicort 1mg/2mL Respules
- 2 QVAR
- 3 Aerobid
- 3 Aerobid-M
- 3 Alvesco
- 3 Azmacort
- 3 Pulmicort 0.25mg/2mL
- 3 Pulmicort 0.5mg/2mL

Nasal Corticosteroids

- 1 flunisolide
- 1 fluticasone propionate
- 1 triamcinolone acetonide
- 2 Nasonex
- 2 Rhinocort Aqua
- 2 Veramyst
- 3 Beconase AQ
- 3 Flonase
- 3 Nasacort AQ
- 3 Nasarel
- 3 Omnaris

Key:

- 0 Select generics used to treat diabetes, CHF, high blood pressure, high cholesterol, and brand-name and generic smoking deterrents.
- 1 Select generics and select brand-name medications used to treat diabetes, CHF, high blood pressure, and high cholesterol.
- 2 Select brand names used to treat diabetes, CHF, high blood pressure, and high cholesterol AND brand-name medications used to treat other health conditions.
- 3 Select generics and other brand-name medications.
- 4 For personal choice brand-name medications
-  Means weigh risk of birth defects or other adverse outcomes.
-  Means do not use in pregnancy.

Miscellaneous Pulmonary Agents

| | | | |
|---|--|---|--|
| 1 | acetylcysteine | 2 | Pulmozyme |
| 1 | cromolyn sodium ampul for nebulization | 2 | Revatio |
| 1 | ipratropium/albuterol sulfate | 2 | Singulair |
| 1 | ipratropium bromide solution | 2 | Spiriva |
| 1 | zafirlukast | 2 | Symbicort |
| 2 | Advair Diskus | 2 | Tilade |
| 2 | Advair HFA | 2 | <input checked="" type="checkbox"/> Tracleer |
| 2 | Atrovent HFA | 2 | Tyvaso |
| 2 | Berinerter | 2 | Ventavis |
| 2 | Cinryze | 3 | Accolate |
| 2 | Combivent | 3 | Adcirca |
| 2 | Dulera | 3 | Daliresp |
| 2 | Intal Inhaler | 3 | Duoneb |
| 2 | <input checked="" type="checkbox"/> Letairis | 3 | Kalbitor |
| | | 3 | Xolair |
| | | 3 | Zyflo |
| | | 3 | Zyflo CR |

OSTEOPOROSIS/PAGET'S DISEASE

| | | | |
|---|--|---|-----------------------|
| 1 | alendronate sodium | 3 | Actonel 5mg |
| 1 | calcitonin, salmon, synthetic | 3 | Actonel 35mg |
| 2 | Actonel 30mg | 3 | Actonel 75mg |
| 2 | Atelvia | 3 | Actonel 150mg |
| 2 | Boniva | 3 | Actonel with Calcium |
| 2 | <input checked="" type="checkbox"/> Evista | 3 | Fosamax Tablet |
| 2 | <input checked="" type="checkbox"/> Forteo | 3 | Miacalcin Nasal Spray |
| 2 | Fosamax Plus D | 3 | Prolia |
| 2 | Fosamax Solution | | |

Key:

- 0 Select generics used to treat diabetes, CHF, high blood pressure, high cholesterol, and brand-name and generic smoking deterrents.
- 1 Select generics and select brand-name medications used to treat diabetes, CHF, high blood pressure, and high cholesterol.
- 2 Select brand names used to treat diabetes, CHF, high blood pressure, and high cholesterol AND brand-name medications used to treat other health conditions.
- 3 Select generics and other brand-name medications.
- 4 For personal choice brand-name medications
- Means weigh risk of birth defects or other adverse outcomes.
- Means do not use in pregnancy.

NEUROLOGICALS

Anticonvulsants/ Anti-Seizure

1 ☒ carbamazepine
 1 ☒ clonazepam
 1 ☒ diazepam
 1 ☒ divalproex sodium
 1 ☒ ethosuximide
 1 felbamate
 1 gabapentin
 1 lamotrigine
 1 levetiracetam
 1 ☒ mephobarbital
 1 oxcarbazepine
 1 ☒ phenobarbital
 1 ☒ phenytoin
 1 ☒ phenytoin sodium
 extended
 1 ☒ primidone
 1 topiramate
 1 ☒ valproic acid
 2 ☒ Banzel Tablet
 2 ☒ Celontin
 2 ☒ Diastat
 2 ☒ Dilantin Chewable
 Tablet
 2 ☒ Dilantin 30mg
 2 Felbatol Suspension
 2 Gabitril
 2 Lamictal ODT
 2 Lamictal XR
 2 Lyrica
 2 ☒ Peganone
 2 ☒ Tegretol XR 100mg

2 Vimpat
 3 Banzel Suspension
 3 ☒ Carbatrol
 3 ☒ Depakote
 3 ☒ Depakote ER
 3 ☒ Depakote Sprinkle
 3 ☒ Dilantin 100mg
 Capsule
 3 ☒ Dilantin Oral
 Suspension
 3 Equetro
 3 Felbatol Tablet
 3 Keppra
 3 Keppra XR
 3 ☒ Klonopin
 3 Lamictal
 3 ☒ Mebaral
 3 ☒ Mysoline
 3 Neurontin
 3 ☒ Phenytek
 3 Sabril
 3 ☒ Tegretol
 3 ☒ Tegretol XR 200mg,
 400mg
 3 ☒ Topamax Tablet
 3 Trileptal
 3 ☒ Zarontin
 3 Zonegran

Key:

- 0 Select generics used to treat diabetes, CHF, high blood pressure, high cholesterol, and brand-name and generic smoking deterrents.
- 1 Select generics and select brand-name medications used to treat diabetes, CHF, high blood pressure, and high cholesterol.
- 2 Select brand names used to treat diabetes, CHF, high blood pressure, and high cholesterol AND brand-name medications used to treat other health conditions.
- 3 Select generics and other brand-name medications.
- 4 For personal choice brand-name medications
- ☒ Means weigh risk of birth defects or other adverse outcomes.
- ☒ Means do not use in pregnancy.

Migraine/Headache Therapy

- 1 ☒ acetaminophen/
butalbital
- 1 ☒ acetaminophen/
caffeine/butalbital
- 1 ☒ aspirin/caffeine/
butalbital
- 1 ☒ dihydroergotamine
mesylate
- 1 ☒ ergotamine/caffeine
- 1 ☒ isometheptene
mucate/
acetaminophen/
dichloralphenazone
- 1 naratriptan HCl
- 1 sumatriptan succinate
- 2 ☒ Ergomar
- 2 Frova
- 2 Maxalt
- 2 Maxalt MLT
- 2 Relpax
- 2 ☒ Treximet
- 2 Zomig
- 2 Zomig ZMT
- 3 Alsuma
- 3 Amerge
- 3 Axert
- 3 ☒ Cafergot tablet
- 3 Imitrex
- 3 ☒ Midrin
- 3 ☒ Migranal
- 3 ☒ Phrenilin
- 3 ☒ Phrenilin Forte
- 3 Sumavel

Drugs to treat Alzheimers Disease

- 1 donepezil HCl
- 1 galantamine HBr
- 1 rivastigmine tartrate
- 2 Aricept 23mg
- 2 Exelon Patch
- 2 Exelon Solution
- 2 Namenda
- 3 Aricept 5mg, 10mg
- 3 Aricept ODT
- 3 Cognex
- 3 Exelon Capsules
- 3 Razadyne
- 3 Razadyne ER

Key:

- 0 Select generics used to treat diabetes, CHF, high blood pressure, high cholesterol, and brand-name and generic smoking deterrents.
- 1 Select generics and select brand-name medications used to treat diabetes, CHF, high blood pressure, and high cholesterol.
- 2 Select brand names used to treat diabetes, CHF, high blood pressure, and high cholesterol AND brand-name medications used to treat other health conditions.
- 3 Select generics and other brand-name medications.
- 4 For personal choice brand-name medications
- ☒ Means weigh risk of birth defects or other adverse outcomes.
- ☒ Means do not use in pregnancy.



This guide does not contain a complete list of formulary and nonformulary drugs. It only lists the *most commonly prescribed drugs*. For an updated and complete listing of your prescription benefit, you can visit the “Benefit highlights” section of our website, **www.medco.com**, and click on “Learn about formularies” or by calling customer service at the phone number on the back of your prescription card.

www.medco.com

© 2011 Medco Health Solutions, Inc.

All rights reserved.

MG423421 (Ed. 12/11)

medco